

## Dot laser, green, 532 nm, 10 mW

DA532-10-3(20x95)  
Order Number: 70100327

Main Parameters (*)	min	typ	max	Unit
Wavelength		532		nm
Optical Output Power		10		mW
Operating Voltage	2.7	3	3.3	V DC
Operating Current	150	300	400	mA
Operating Temperature	15		30	°C
Storage Temperature	-40		80	°C

### Main Data

Warranty 1 years

### Technical Parameters

Lifetime > 5,000 h  
RoHS yes

### Optical Parameters

Beam Shape	Dot
Laser Class	3B
Divergence	A - 0.1 mrad
Beam Diameter	8 mm
Size of Laserdot	<4mm@10m
Operating Distance	300 m
Optics	glass lens AR coated
Beam Mode	TEM00
Laser technology	YVO4+KTP
Stability	+/- 20% @ 15-30°C
Focus	collimated
Warm up time	< 15 min

### Electrical Parameters

Potential of Housing isolated

### Mechanical Parameters

Size	Ø20x95 mm
Material	aluminium
Cable length	100 mm
Output Aperture	8 mm
Housing Color	black
Weight	74 g

(\*) Over the complete operating temperature range

### Features




### Picture



### Cable color

Ground		blue	GND
positive		red	2.7 - 3.3, typ 3 V DC

### Safety Label



### Valid Revision

5 | 06-SEP-2012